

<120> OLIGONUCLEOTIDES AND ASSEMBLIES THEREOF USEFUL IN THE DETECTION OF THE PRESENCE OR ABSENCE OF TARGET NUCLEIC ACID SEQUENCES

<151> 1999-11-29

<160> 47

<170> PatentIn version 3.0

<210> 1

<211> 263

<212> DNA

<213> Human cytomegalovirus (strain AD169);

<400> 1

| | | | | | | |
|-------------|------------|------------|------------|------------|------------|-----|
| agaccttcac | gcagatctcc | tcaatgcggc | gttcattac | actgataacc | tcaggcttgg | 60 |
| ttatcagagg | ccgcttgcc | agcatcacac | tagtctctc | taagacatag | cagcacagca | 120 |
| cccagacagaa | ctcacttaag | agagagatgc | ccccgtacat | ggtcatcata | caagcgtcac | 180 |
| tagtgacctt | gtactcata | cacattgttt | ccacacatgt | agtgaggata | tccataaata | 240 |
| tgtgatcaat | gtgcgtgagc | acc | | | | 263 |

<210> 2

<211> 20

<212> DNA

<213> Artificial sequence;

<220>

<221> misc feature

<223> primer

<400> 2

agaccttcat gcagatctcc 20

<210> 3

<211> 20

<212> DNA

<213> Artificial sequence;

$\langle 220 \rangle$

<221> misc feature

<223> primer

<400> 3

ggtgctcacg cacattgatc 20

<210> 4

<211> 263

<212> DNA

<213> Human cytomegalovirus (strain AD169);

<220>

```
<221> misc_feature
```

<223> antisense;

<400> 4

| | | | | | | |
|------------|-------------|-------------|------------|------------|-------------|-----|
| ggtgctcacg | cacattgatac | acatatattat | ggatatcctc | actacatgtg | tggaacaacat | 60 |
| gtgtaatgag | tacaagggtca | ctagtgcacgc | ttgtatgatg | accatgtacg | ggggcatctc | 120 |
| tctcttaagt | gagttctctgc | gggtgctgtg | ctgctatgtc | ttagaggaga | ctagtgtgat | 180 |
| gctggccaag | cggcctctga | taaccaagc | tgaggttac | agtgtaatga | agcgcgcgat | 240 |
| tgaaggatgc | tgcatagaagc | tct | | | | 263 |

<210> 5

<211> 50

<212> DNA

<213> Human cytomegalovirus (strain AD169);

<400> 5

50

35

59

36

36

36

```
<210> 11
<211> 37
<212> DNA
<213> Artificial sequence;
```

36

<400> 20

53

```
<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end
```

```
<220>
<221> modified_base
<222> (20) .. (20)
<223> m6a
```

24

```
<210> 22
<211> 24
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;
```

```
<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end
```

```
<400> 22
gtacggggggc ataaattcga acgc
```

24

```
<210> 23
<211> 38
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;
```

```
<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end
```

```
<400> 23
tttttttttg cgttcgaatt tctctctctt aagtgagt
```

38

```
<210> 24
<211> 52
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;
```

```
<220>  
<221> misc_feature
```


<210> 32

60
81

<400> 39
cagcatcaca ctagtctcaa ttcgaagcgg atgaccatgt acgg 44

47

50

59

41

28

```
<220>
<221> misc_feature
<223> synthetic oligonucleotide;
```

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> Biotinylated at 5'-end

<400> 45
 tggatcatcat acaagcgtca ctagaattcg aacggttttt ttccggt

47

<210> 46
 <211> 43
 <212> DNA
 <213> Artificial sequence;

<220>
 <221> misc_feature
 <223> synthetic oligonucleotide;

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> Biotinylated at 5'-end

<400> 46
 catcatataca gcgtcactag aattcgaacg gtttttttcc gtt

43

<210> 47
 <211> 39
 <212> DNA
 <213> Artificial sequence;

<220>
 <221> misc_feature
 <223> synthetic oligonucleotide;

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> Biotinylated at 5'-end

<400> 47
 atacaagcgt cactagaatt cgaacggttt ttttccggt

39

<210> 48
 <211> 59
 <212> DNA
 <213> Artificial sequence;

<220>
 <221> misc_feature
 <223> synthetic oligonucleotide;

<400> 48
 atgtgtggaa acaatgtgta atgagtacaa ggtagtagt gacgcttgta tgatgacca

59

<210> 49
 <211> 27
 <212> DNA
 <213> Artificial sequence;

<220>
 <221> misc_feature
 <223> synthetic oligonucleotide;

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> Biotinylated at 5'-end

<400> 49
tttcatcata aaagcgtcac tagaatt

004026 0342450